

L Number	Hits	Search Text	DB	Time stamp
3	885	(717/140,146,148,162).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:27
4	66	((717/140,146,148,162).CCLS.) and (dynamic\$4 near load\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:27
11	20793	hot adj spot	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
12	1650	hotspot	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
17	0	((709/1).CCLS.) and (virtual adj machine) and (interpret\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
18	0	(709/1).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
19	0	((709/1).CCLS.) and (virtual adj machine) and (interpret\$4) and (profil\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
21	63	just adj in adj time same virtual adj machine	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
23	380	(virtual adj machine) same (interpret\$4) and (profil\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
25	0	interpret\$3 with bridge with (virtual adj machine)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
1	27	hot adj spot same java	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
2	102	java same control\$3 near transfer\$4	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28

5	3	mix\$3 adj mode adj execution	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
6	3	turboJ	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
7	4	interpreter same virtual adj machine same mix\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
8	27	((717/140,146,148,162).CCLS.) and (bytecode same compiled adj code)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
9	8	((("5889996") or ("5920720") or ("6078744") or ("5768593")).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
10	10	interpreter same virtual adj machine same (transfer\$4 adj control)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
13	60	((hot adj spot) or hotspot) same java	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
14	230	interpreter same virtual adj machine and (add\$5 near (object or class))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
15	40	(java same control\$3 near transfer\$4) and (virtual adj machine) and (interpret\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
16	15	(java same control\$3 near transfer\$4) and (virtual adj machine) and (interpret\$4) and (profil\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
20	14	(virtual adj machine) same (interpret\$4) same (profil\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
22	11	just adj in adj time same virtual adj machine and profil\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
24	82	((virtual adj machine) same (interpret\$4) and (profil\$3)) and (exten\$4 near class)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28

26	39	interpret\$3 with interface with (virtual adj machine)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:28
27	280	(718/1).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/30 12:50
-	1	mix\$3 adj mode with execut\$3 same high\$6 same low\$6	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 10:21
-	3	mix\$3 adj mode with execut\$3 same object	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 10:22
-	84	mix\$3 adj mode with execut\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 10:23
-	62	(mix\$3 adj mode with execut\$3) and ((@ad < "19980828") or (@prad < "19980828") or (@rlad < "19980828"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 11:17
-	2	("6502237").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 10:54
-	46	("4903199"   "4928237"   "5175856"   "5179734"   "5193190"   "5212794"   "5247520"   "5287490"   "5301325"   "5303377"   "5303378"   "5307492"   "5307504"   "5313614"   "5317740"   "5339238"   "5339422"   "5375242"   "5396631"   "5428786"   "5432795"   "5450575"   "5452456"   "5457799"   "5481684"   "5507030"   "5539907"   "5548717"   "5574873"   "5579520"   "5586323"   "5598560"   "5636366"   "5649203"   "5652869"   "5652889"   "5655122"   "5740441"   "5751982"   "5764947"   "5784638"   "5805895"   "5815720"   "6148437"   "6223339"   "6314560").PN.	USPAT	2004/08/23 10:54
-	78	source adj code same (bytecode or byte adj code) same (interface or bridg\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 11:39
-	24	(source adj code same (bytecode or byte adj code) same (interface or bridg\$3)) and ((@ad < "19980828") or (@prad < "19980828") or (@rlad < "19980828"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 12:15
-	0	source adj code adj interpret\$4 same (bytecode or byte adj code) same (interface or bridg\$3)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 11:40
-	13	source adj code adj interpret\$4 same (bytecode or byte adj code)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 11:49

-	5	source adj code adj interpret\$4 same (virtual adj machine or jvm)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 12:15
-	85	(source adj code) near3 interpret\$4 same (virtual adj machine or jvm or bytecode or byte adj code)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 12:15
-	39	((source adj code) near3 interpret\$4 same (virtual adj machine or jvm or bytecode or byte adj code)) and ((@ad < "19980828") or (@prad < "19980828") or (@rlad < "19980828"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 12:15
-	58	(bridg\$3 or proxy or surrogat\$3) same compil\$6 same interpret\$6	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/23 14:34